

Product: Methylated Spirits

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION					
Trade Name:	METHYLATED SPIRITS				
SUPPLIER:	Polo Citrus Australia Pty Ltd				
ADDRESS:	30 Spencer Street Suns	30 Spencer Street Sunshine West VIC 3020			
TELEPHONE:	+61 3 93649700	+61 3 93649700 FAX: +61 3 93647500			
AH EMERGENCY TELEPHONE:	13 1126 in Australia ABN: 18 064 601 332				
Substance:	Liquid Product Use: GP Cleaner				
Creation Date:	March 2019	Revision Date:	March 2024		
Product Code:					

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture

- This product is classified as **HAZARDOUS** according to criteria of Safe Work Australia.
- The product is a **DANGEROUS GOOD** according to the Australian Dangerous Goods (ADG) Code.
- The product is classified as **DANGEROUS** according to GHS.

GHS - GLOBALLY HARMONISED SYSTEM			
GHS Classification	Flammable Liquids - Category 3		
	Flammable Liquid – Category 2		
	Acute Toxicity – Category 5		
	Aquatic Environment – Category 2		
GHS Pictogram			
GHS Signal Word	DANGER		

Hazard statement(s)	
H225	Highly flammable liquid and vapour

Precautionary statement(s): General			
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P103	Read label before use.		
Precautionary statement(s): Prevention			
P210	Keep away from heat/sparks/open flames/hot surfaces – no smoking		
P240	Ground/bond container and receiving equipment.		
P241 + P242 + P243	Use explosion proof electrical/ventilating/lighting equipment. Use only non		

Date of Issue: MARCH 2019 Page 1 of T	otal 10
---------------------------------------	---------



	sparking tools. Take precautionary measures against static discharge.		
P264 + P280 + P281	Wash hands/skin thoroughly after handling. Wear protective gloves/protective		
	clothing/eye protection/face protection		
P233 + P234	Keep container tightly closed. Keep only in original container		

Precautionary statement(s): Response			
P301 + P330 + P331 + P303 +	P303 + IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair):		
P361 + P353 + P304 + P340 +	+ Remove/Take off immediately all contaminated clothing. Rinse skin with		
P321	water/shower. Wash contaminated clothing before use. IF INHALED: remove		
	victim to fresh air and keep at rest at a position comfortable for breathing.		
	Specific treatment (see First Aid on safety data sheet).		
P370 + P378	In case of fire, use appropriate media for extension.		

Precautionary statement(s): Storage		
P405	Store locked up.	

Precautionary statement(s): Disposal		
P501	Dispose of contents/container in accordance with local regulations.	

ADG CODE DANGEROUS GOODS				
UN Number 1170 ADG Classification 3				
Shipping Name	Ethanol	ADG Subsidiary Risk	None allocated	
Hazchem Code	2YE	Packing Group	II	

POISON SCHEDULES	
SUSMP Classification	5

EMERGENCY OVERVIEW					
Colour	colourless Odour Alcoholic				
Physical Description	Liquid Viscosity Similar to water				
Major Health Hazards	None known				
Note					
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:6 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.				

	Date of Issue: MARCH 2019	Page 2 of Total 10
--	---------------------------	--------------------



Product: Methylated Spirits

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:		Proportion:	
Ethanol		64-17-5	95% w/w	
Ingredients determined to	be non-			
hazardous (nonionic surfa	ctants,			
chelators, dye)		various	Balance	
NOTE:	Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011.			

SECTION 4 – FIRST AID MEASURES		
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, Ne Zealand can provide additional assistance for scheduled poisons. (Phone Austral 131126 or New Zealand 0800 764 766).	
First Aid Facilities		
Required	Ensure there is access to eye washes and safety showers.	
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.	
Skin contact	Wash skin with plenty of water. Seek medical advice (e.g. doctor) if irritation, burning or redness develops. Seek medical advice (e.g. doctor).	
Eye contact	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Seek urgent medical advice (e.g. ophthalmologist).	
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek urgent medical advice (e.g. doctor).	
Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient. Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons.	

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Flammable liquids and vapours.	
Hazards		
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear	
	self-contained breathing apparatus if risk of exposure to products of combustion or	

Date of Issue: MARCH 2019	Page 3 of Total 10



Product: Methylated Spirits

decomposition.

Flash Point Flammable

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures

- Shut off engine and electrical equipment and leave off.
- Move people from immediate area; keep upwind.
- Stop leak if safe to do so.
- Send messenger to notify fire brigade and police.
- Tell them location, material quantity, emergency contact.
- Indicate condition of vehicle and damage or injuries observed.
- Warn other traffic.

Occupational Release

Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If required, neutralize with citric acid or vinegar. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE

Handling

As with any chemical, avoid excessive personal contact. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.

Storage

Store in a cool, dry, place with good ventilation. Avoid storing in aluminium and light alloy containers. Store away from acids. Keep containers closed at all times — check regularly for leaks

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters	
Occupational Exposure	No exposure standards have been established for the mixture. However, over-exposure to some
Limits	chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

Control parameters

Date of Issue: MARCH 2019	Page 4 of Total 10
---------------------------	--------------------



Product: Methylated Spirits

Biological Limits	No biological limits allocated.
-------------------	---------------------------------

PERSONAL PROTECTION PPE

Ventilation Use only in a well-ventilated area. Ensure ventilation is adequate to maintain air

concentrations below exposure standards.

Personal Protective Equipment Use good occupational work practice.

The use of protective clothing and equipment depends upon the degree and nature of

exposure.

Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments

The following protective equipment should be available;

Eye Protection



The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

Skin Protection



Wear gloves. Overalls, apron, work boots and elbow length gloves are recommended for handling the concentrated product (as per AS/NZS 2161, or as recommended by supplier) to handle in quantity, cleaning up spills, decanting, etc.



Material suitable for mild detergent contact – Butyl rubber, Natural Latex, Neoprene, PVC, and Nitrile.

Respirator

Not required for normal cleaning operations as per label directions with adequate ventilation.



If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES			
Physical State	Liquid	Colour	Colourless
Odour	Alcoholic	Specific Gravity	~ 0.8 @ 25 ºC

Date of Issue: MARCH 2019	Page 5 of Total 10



Boiling Point	Approximately 80°C	Freezing Point	Not relevant
Vapour Pressure	Not available	Vapour Density	1.59
Flash Point	Approximately 13°C	Flammable Limits	None
Water Solubility	Miscible in all proportions	рН	Not available
Volatile Organic		Coefficient of Water/Oil	
Compounds (VOC)	0 % v/v	Distribution	Not available
Viscosity	Not available	Odour Threshold	Not available
Evaporation Rate	Not available	Per Cent Volatile	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Chemical stability	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.	
Conditions to avoid	Avoid contact with heat or heat sources. Acids.	
Incompatible materials	ACIDS: reaction can occur, yielding heat and pressure which can burst an enclosed container. Attacks many reactive metals (aluminium/magnesium/zinc alloys) releasing highly flammable gas (hydrogen) which generates fire or explosion hazards. Reacts slowly with ambient air (particularly carbon dioxide) which may cause certain insoluble salts top form in solutions.	
Hazardous	Product can decompose on combustion to form Carbon Monoxide, Carbon Dioxide, and	
decomposition	other possibly toxic gases and vapours.	
products		
Hazardous Reactions	None known.	

SECTION 11 – TOXICOLOGICAL INFORMATION		
POTENTIAL HEALTH EFF	POTENTIAL HEALTH EFFECTS	
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:		
Inhaled	Inhalation over exposure may result in mucous membrane irritation of the respiratory tract and coughing.	
Ingestion	Ingestion will in irritation and chemical burns to the gastrointestinal tract.	
Skin Contact	Skin contact will result in irritation, redness, pain, rash, dermatitis. Severity depends on the concentration and duration of exposure.	
Eye	Corrosion to eyes. Contact can cause corneal burns, possible permanent eye damage and blindness.	
Chronic	No known effects.	

METHYLATED SPIRITS	TOXICITY	IRRITATION	

Date of Issue: MARCH 2019	Page 6 of Total 10
---------------------------	--------------------



Product: Methylated Spirits

LD50 calculated 360 - 370 mg/kg	Severe irritation – skin.
Acute Toxicity Category 4	Severe irritation – eyes.

SECTION 12 – ECOLOGICAL INFORMATION No single ingredient (over 1%) recognised as environmental pollutant. Product miscible in all proportions with water. AS WITH ANY CHEMICAL PRODUCT, DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Inform local authorities if this occurs.

Aquatic Toxicity	
METHYLATED SPIRITS (as	Expected to be harmful to fish, microorganisms and aquatic invertebrates. Expected to be
sold)	toxic to algae.
METHYLATED SPIRITS (at	Expected to be harmful to fish, microorganisms and aquatic invertebrates. Expected to be
use dilution)	toxic to algae.

SECTION 13 – DISPOSAL CONSIDERATIONS		
Product and Packaging	Dispose of contents/container to chemical landfill.	Consult local or regional waste
Disposal	management authority for further details.	

SECTION 14 – TRANSPORT INFORMATION

Labels Required	
ADG	Class 3
Marine Pollutant	no
HAZCHEM	2YE

Land Transport (ADG)	
UN number	1170
Packing group	II
UN proper shipping name	Ethanol
Environmental hazard	none
class(es)	
Transport hazard class(es)	3
Special precautions for	none
user	

Date of Issue: MARCH 2019 Page 7 of Total 10
--



Air transport (ICAO-IATA / DGR)	
UN number	1170
Packing group	II
UN proper shipping name	Ethanol
Environmental hazard	None allocated
Transport hazard class(es)	

Sea transport (IMDG-Code / GGVSee)	
UN number	1170
Packing group	II
UN proper shipping name	Ethanol
Environmental hazard	None allocated
class(es)	
Transport hazard class(es)	
Special precautions for	
user	

SECTION 15 – REGULATORY INFORMATION	
Labeling Details	
GHS Classification	Flammable Liquids - Category 3
	Flammable Liquid – Category 2
	Acute Toxicity – Category 5
	Aquatic Environment – Category 2
SUSMP	5
ADG Code	Class 3
AICS	All ingredients present on AICS.

SECTION 16 – OTHER INFORMATION		
Issue Date	10 March 2019	
Version Number	V 1.1	
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.	
acronyms	AICS: Australian Inventory of Chemical Substances.	
	CAS Number: Chemical Abstracts Service Registry Number.	
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals	

Date of Issue: MARCH 2019 Page 8 of T	otal 10
---------------------------------------	---------



Product: Methylated Spirits

HAZCHEM: An emergency action code of numbers and letters which gives information to

emergency services.

HSIS: Hazardous Substances Information System **IARC:** International Agency for Research on Cancer.

NOHSC: National Occupational Health and Safety Commission.

NTP: National Toxicology Program (USA).

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit.

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.

TWA: Time Weighted Average. **UN Number**: United Nations Number.

Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (December
	2011 – Safe Work Australia)
	GHS Hazardous Chemical Information List (September 2014 – Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. April
	2012. Safe Work Australia.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS). Fifth revised
	edition.
	"Australian Exposure Standards"
	List of Designated Hazardous Substances [NOHSC:10005(1999)]
	Australian Code For The Transport Of Dangerous Goods By Road And Rail – 7th Edition.
	Standard for the Uniform Scheduling of Medicines and Poisons 2015.
	Material Safety Data Sheets – individual raw materials – Suppliers.
	Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
	HSIS – Hazardous Substance Information System – National Worksafe Data Base.
	LABELLING OF WORKPLACE HAZARDOUS CHEMICALS, Code of Practice, DEC 2011
	IMPLEMENTATION OF THE GLOBALLY HARMONISED SYSTEM OF CLASSIFICATION AND
	LABELLING OF CHEMICALS (GHS) APRIL 2012
Risk assessments	This SDS is a tool to communicate hazards which can assist you in creating relevant risk
	assessments for your workplace. There are many variables in determining whether a
	particular hazard is a risk in your workplace. Keep in mind this may be influenced by such things as the amount used, frequency of use, engineering controls, effectiveness of safety
	training and many more considerations.
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety
	hazard information of this product, and in particular how to safely handle and use this
	product in the workplace. Since the supplier cannot anticipate or control the conditions

Date of Issue: MARCH 2019	Page 9 of Total 10
---------------------------	--------------------

be made, the user should contact this supplier.

under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can



Note	Safety Data Sheets are updated frequently.	
	Please ensure that you have a current copy.	
Copyright	This document is copyright.	
End of SDS		